


Vehicle-specific camera

VSC-E-FO08-S

Delivery content



Product features

- Sensor type 1/3" CMOS PC7080
- Picture format NTSC
- Resolution 720 x 480 Pixel
- Min illumination 0.4 Lux
- Angle h=130°, v=90°, d=170°
- Mirrored image (fixed)
- Parking guide lines, optional switchable
- Protection class IP68
- Camera colour black
- Total cable length 7m
- Video connector RCA connector
- System connector camera 4pin S
- Diameter camera connector 5mm
- Operating voltage +12V DC (6 ~ 16V)
- Current consumption 40mAh
- Power consumption 0.5W
- Operating temperature range -20°C to +70°C
- Storage temperature range -40°C to +85°C

Tip for dealers:

Inform your end customers that the rear-view camera mustn't be cleaned by steam cleaner!

Installation



- Video signal
- +12V Reverse signal
- Ground

Camera not suitable for permanent operation!

Note: If the camera is powered by reverse signal we recommend to install a relay between power supply of reverse signal and power supply of the camera to ensure a stable and uninterrupted power supply and avoid unwanted errors in the board computer.

Camera configuration

(Cut green cable loop if required)

White cable loop has no function

With guide lines

Without guide lines



In case the isolation of the camera is harmed in the moisture section close to the camera, it is mandatory to repair the isolation. Otherwise the camera will inevitably become moist inside sooner or later.



10R-04.1484

